POOLMASTER®

MSDS

MATERIAL SAFETY DATA SHEET

Poolmaster, 770 Del Paso Road, Sacramento, California, 95834-1117, USA
P.O. Box 340308, Sacramento, California, 95834-0308, USA
Telephone # For Information: (916) 567-9800, (800) 854-1776

24 HOUR EMERGENCY NUMBER (CHEM-TEL): USA, Canada, Puerto Rico 800-255-3924;

Outside North American Continent 813-248-0585 (Call Collect If Necessary)

1. Product Identification

Product Codes 23264, 23294, 63264, 02122273

Product Description: #4 Indicator Solution

Manufactured By: Poolmaster
770 Del Paso Road
Sacramento, California, USA 95834-1117

P.O. Box 340308
Sacramento, California, USA 95834-0308

2. Composition/Information On Ingredients

Hazard	CAS#/Name	%	PEL	TLV
Yes	10102-17-7 Sodium Thiosulfate, 5-hydrate	3.0	None Established	None Established
No	7732-18-5 Water	to 100%	None Established	None Established

3. Hazards Overview

Primary Route Of Entry: Skin Ingestion

May be harmful if swallowed. May irritate eyes, nose, skin and respiratory tract.

HMIS Hazard

Scale: 4 = Extreme, 3 = High, 2 = Moderate, 1= Slight, 0 = Least

Health: 1 **Flammability:** 0 **Reactivity:** 0

Carcinogenicity: None:

Other Health Related Comments:

4. First Aid Measures

Eye Contact: Flush with water for 15 minutes while lifting upper and lower eyelids. Contact physician if irritation devlops or persists.

Skin Contact: Wash with soap and water. Contact physician if irritation develops or persists.

Ingestion: Drink several glasses of water. Contact physician if irritation develops or persists. If large amounts were swallowed, get medical advice.

Inhalation: Remove to fresh air.

5. Fire Fighting Measures

Flash Point (Method Used): N/A **LEL:** N/A **UEL:** N/A

Extinguishing Media: Not a fire hazard

Special Fire Fighting Procedures: N/A

Unusual Fire & Explosion Hazard: N/A

6. Accidental Release Measures

Absorb spill with inert material, containerize, and hold for disposal. Dispose according to local regulations.

7. Handling & Storage

Keep tightly closed and store in cool, dry, ventilated area away from heat and light.

8. Exposure Controls/Personal Protection

Ventilation

Normal

Protection When Handling

Eye Protection Gloves

Work/Hygenic Practices: Avoid repeated contact with eyes or skin. Solution is alkaline and may be irritating.

9. Physical & Chemical Properties

Appearance:	Clear Colorless Liquid	**Vapor Density:**	<1 (Air=1)
Solubility In Water:	Soluble	**Vapor Pressure:**	<17 mm @ 20° C
Odor:	None	**Boiling Point:**	ca. 100° C
pH:	12	**Melting Point:**	Unknown

10. Stability & Reactivity

Stable:	Yes
Conditions To Avoid:	Heat, light
Incompatibility (Materials To Avoid):	N/A
Hazardous Decomposition Products:	N/A

11. Toxicological Information

Target Organs: N/A Skin

12. Ecological Information

Information Not Yet Available

13. Disposal Considerations

Dispose according to local regulations. If permitted, neutralize with dilute acid and rinse to drain with excess water.

14. Transportation Information

Not Regulated For Transport

15. Regulatory Information

Chemical Inventory Status

Hazard	Ingredient	USA TSCA	Europe EC	--- Canada --- DSL	NDSL	Australia	Japan
Yes	7772-98-7 Sodium Thiosulfate, anhydrous	Yes	Yes	Yes	No	Yes	Yes
No	7732-18-5 Distilled Water	Yes	Yes	Yes	No	Yes	Yes

Federal, State, & International Regulations

	--- SARA 302 ---		--------- SARA 313 ---------				
Ingredient	**RQ**	**TPQ**	Listed	**Chemical Category**	**CERCLA**	**RCRA 261.33**	**TSCA 8(D)**
7772-98-7 Sodium Thiosulfate, anhydrous	No	No	No	No	No	No	No
7732-18-5 Distilled Water	No	No	No	No	No	No	No

Product Code: 23264 **Product Description:** #4 Indicator Solution

Ingredient	--- SARA 311/312 --- Hazard Categories Acute	Chronic	Fire	Pressure	Reactivity	-------- Australia ------- Hazchem Code	Poison Schedule	This MSDS Is WHMIS Compliant
7772-98-7 Sodium Thiosulfate, anhydrous	Yes	No	No	No	No	None Allocated	None Allocated	
7732-18-5 Distilled Water	No	No	No	No	No	None Allocated	None Allocated	
product 23264 as a whole	No	No	No	No	No	None Allocated	None Allocated	Yes

16. Other Information

Store away from heat and light.
Keep out of the reach of children.

Prepared By: Regulatory Affairs Department

Revised: 11/5/2010